



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/774,192	01/29/2001	Maocheng Li	5430/ETCH/SILICON/JBI	7295

32588 7590 07/21/2003

APPLIED MATERIALS, INC.
2881 SCOTT BLVD. M/S 2061
SANTA CLARA, CA 95050

EXAMINER

CROWELL, ANNA M

ART UNIT	PAPER NUMBER
----------	--------------

1763

DATE MAILED: 07/21/2003

14

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

09/774,192

Applicant(s)

LI ET AL.

Examiner

Michelle Crowell

Art Unit

1763

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 25 June 2003 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
- b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. **ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).**

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☐ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
 - (b) ☐ they raise the issue of new matter (see Note below);
 - (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
 - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: _____

3. ☒ Applicant's reply has overcome the following rejection(s): The 112 second paragraph rejection regarding claims 14 and 15.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☐ will not be entered or b) ☒ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____

Claim(s) objected to: _____

Claim(s) rejected: 1,2,4-15,20,21,28 and 33-42.Claim(s) withdrawn from consideration: 3,16-18 and 22-27.

8. ☐ The proposed drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____
10. ☒ Other: The IDS has not been considered.

Continuation of 5. does NOT place the application in condition for allowance because: The proposed amendment overcoming the 112 second paragraph rejection will be entered, however the art rejections are maintained for the following reasons: Applicant has argued that since there is no shield element that is separate from the heater element, there is no way for the shield to be between the heater and the chamber wall. However, Figure 7 clearly displays a Faraday shield 1a which is disposed between the heating element 1b and the chamber wall 2. Additionally, the shield 1a and the heater element 1b are separate components. Applicant has argued that neither the Guo, Yoshida, Yin, nor Rice references teach that the Faraday shield "provides thermal communication from the resistive heating element to the chamber wall. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). The Yoshida reference teaches that the Faraday shield and the resistive heating element are in communication with the chamber wall. Moreover, the Yin reference was applied to simply teach the resistive heating element layered over the Faraday shield. Thus, the combination teaches a Faraday shield which provides thermal communication from the resistive heating element to the chamber wall.

Primary Examiner
AD 1763
P. Haman